


AN 150 3D 44

for unrebbated 44 mm residential doors
with central installation and 21 mm
reduced hinge frame part up to 40 kg



Technical data



Property	Value
Load capacity	40.0 kg
Overall length	110.0 mm
Width (door part)	34.0 mm
Width (frame part)	24.0 mm
Min. door thickness	44.0 mm
Cutter diameter	16.0 mm
Collar ring diameter	27.0 mm
Opening angle	180°

Combinations

AN 140 3D FZ


Item versions

Finish	Satin Chrome (AN 014)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN




ANSELM - AN 150 3D 44


EAN	014) 8054608709973
Finish	Black (AN 018)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 018)
EAN	8059606380407
Finish	Antique Bronze (AN 035)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 035)
EAN	8059606380414
Finish	Aluminium Chrome (AN 036)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 036)
EAN	8059606380421
Finish	Polished Brass (AN 037)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 037)
EAN	8059606380469
Finish	Polished Chrome (AN 039)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 039)
EAN	8059606380438
Finish	Satin Nickel (AN 044)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 044)



cross section 2



block frame 90°



block frame 180°

ANSELM - AN 150 3D 44

EAN	8059606380445
Finish	RAL 9016 Traffic White (AN 049)
VPE	pack of 2
DIN	DIN right and left hand
ITEM NO.	AN 150 3D 44 (AN 049)
EAN	8059606380452